



Multi-gas area valve service units (AVSUs)

HTM 2022 / 02-01













HTM 2022 / 02-01

Delta P S.r.l

export@deltap.it
info@deltap.it
www.deltap.it
08/02/16

Multi-gas area valve service units (AVSUs)

HTM 2022 / 02-01



Key features

- **Modularity**: different configurations available on request :
 - From 2 to 6 gases configurations
 - with or without pressure switches,
 - With or without integrated alarm system
 - Housed in a white powder coated steel enclosure.
- 2 Access to valve assemblies via key lock or emergency release lever.

 Emergency release mechanism easily operated with no risk of injury to personnel, reset with the correct key.
- 3 Equipped with NIST connectors either side of the valves for connection of emergency supply or for purging, testing and gas sampling and pressure relief valves.
- Comprising ø22mm or ø28mm ball valves with copper stub pipes for brazing to the pipeline system.
- 5 Integrated alarm panel available
- 6 Available with pressure sensors located downstream of valves to monitor pipeline pressure, for connection to area alarm panel.
- Door can be closed with hose assemblies connected to NISTs to prevent unauthorised access.

General Description

Multi Gas **AVSUs** are used to isolate a gas supply in the event of an emergency or during installation and maintenance. The Multi Gas AVSUs supplied from **Delta p** meets the requirements of **HTM 02-01** & **HTM 2022** Medical Gas Pipeline Systems, **BS EN ISO 7396-1** Medical Gas Pipeline Systems, **BS EN ISO 18082 NIST** Low pressure connectors for medical gases. **Flush or surface mounted installation models are available.**

Technical Data

FULLY AUTOMATIC MANIFOLD CONTROL PANEL

COMPLYING TO HTM 02-01, HTM 2022, ISO 7396-1 standards

SUITABLE FOR FOLLOWING GASES 0, | N₂0 | CO₂ | MEDICAL AIR | N₂ | 50% N₂0 / 50% O₂ | CO₂ |

SURGICAL AIR | VACUUM (other gases available on request)

WORKING PRESSURE 4 barg (for O_2 , N_2O , MEDICAL AIR , CO_2 , 50% N_2O / 50% O_2]

7 barg (for SURGICAL AIR) -1÷ -0.4 bar (for VACUUM)

INPUT / OUTPUT -22 mm **PIPES DIMENSIONS** -28 mm



TECHNICAL SHEET TS**01-HTM**



Multi-gas area valve service units (AVSUs) HTM 2022 / 02-01



Models

| 22mm Multi Gas AVSU (with Alarm and pressure switches) | 28mm Multi Gas AVSU (with Alarm and pressure switches) |
|---|---|
| 2 Gas, 22mm | 2 Gas, 22mm |
| 3 Gas, 22mm | 3 Gas, 22mm |
| 4 Gas, 22mm | 4 Gas, 22mm |
| 5 Gas, 22mm | 5 Gas, 22mm |
| 6 Gas, 22mm | 6 Gas, 22mm |

| 22mm Multi Gas AVSU [No Alarm with pressure switches] | 28mm Multi Gas AVSU (No Alarm with pressure switches) |
|--|--|
| 2 Gas, 22mm 3 Gas, 22mm | 2 Gas, 22mm 3 Gas, 22mm |
| 4 Gas, 22mm | 4 Gas, 22mm |
| 5 Gas, 22mm | 5 Gas, 22mm |

22mm Multi Gas AVSU

(No Alarm or pressure switches)

2 Gas, 22mm 3 Gas, 22mm 4 Gas, 22mm 5 Gas, 22mm 6 Gas, 22mm

6 Gas, 22mm

28mm Multi Gas AVSU

(No Alarm or pressure switches)

2 Gas, 22mm 3 Gas, 22mm 4 Gas, 22mm 5 Gas, 22mm 6 Gas, 22mm

6 Gas, 22mm



